


MAORI




SHELF
SUPPORTS





SYMBOLS AND FINISHES LEGEND

SYMBOLS



= SHELF SAFELY LOCKED DURING TRANSPORTATION AND AT HOME.



= ANTI-TURNOVER LOCKING SYSTEM



= NORMS / PATENTS



= PHILLIPS / POZIDRIV



= NEWTON



= PART.NO



= HEXAGONAL SOCKET



= FRICTION



= PCS. PER PACKAGE



= BLADE SLOT



= AUTOMATIC



= COMBI SLOT



= DROP DOWN



= CAPACITY LOADING



= COUNTERSUNK HEAD



= WOOD / GLASS THICKNESS



= PAN HEAD



= STANDARD HINGE



= HOLE DIAMETER



= FLANGE HEAD



= KIMANA HINGE



= DIAMETER



= FLAT HEAD



= FLAP HINGE



= LENGTH



= TRILOBULAR SCREW



= WITH SPRING



= HEIGHT



= SELF-TAPPING SCREW



= WITHOUT SPRING



= RIGHT VERSION



= EURO THREAD



= REVERSED SPRING



= LEFT VERSION



= METRIC THREAD



= SETTING CODE



= PRE-INSERTED SCREW



= FOR ROUND TUBE



= PCS. PER PAD



= PRE-INSERTED SCREW AND SPREADING BUSH



= FOR OVAL TUBE



= CUT ON REQUEST



= WITH BUFFER



= SELF ADHESIVE



= WITH MAGNET



= WITH FLANGE

NOTE: Printing errors and omissions may exist despite our best efforts to ensure accuracy. We reserve the right to alter specifications without notice.

MATERIALS

ZA = Zinc Alloy	ST = Steel	HSS = High Speed Steel	BR = Brass	ABS = Acrylonitrile Butadiene Styrene
ZAnk = Nickel-plated Zinc Alloy	STzk = Zinc-plated Steel	AL = Aluminium	WD = Wood	EVA = Ethylene Vinyl Acetate

EP = **ENGINEERING PLASTIC**

+ **EP** = other engineering plastic available on request

SR = **SOFT RUBBER**

+ **SR** = other soft rubber available on request

EPn = Natural Engineering Plastic	EPc = Clear Engineering Plastic	SRn = Natural Soft Rubber
EPw = White Engineering Plastic	EPg = Grey Engineering Plastic	SRw = White Soft Rubber
EPwg = Water Green Engineering Plastic		SRb = Black Soft Rubber



FINISHES



+ = OTHER FINISHES AVAILABLE ON REQUEST

PART. NO	FINISHES	PART. NO	FINISHES	PART. NO	FINISHES
AA	Natural	JB	Bright Aluminium	QB	Walnut
AB	White	JC	Aluminium - Chrome	RO	Red
AC	Opal White	JD	Matt Aluminium	UZ	T -Met
AE	White 9010	JE	Satin-finished Aluminium	WA	Bronzed
AK	Champagne	JF	Aluminium - Brass	WI	Burnished
AL	Ivory	JG	Aluminium 5	XD	Satin-finished Steel
EA	Black	JL	Aluminium PE 11	YA	Nickel-plated
EB	Glossy Black	JM	Aluminium RAL 9006	YB	Bright Nickel-plated
EC	Matt Black	KA	Chrome	YC	Matt Nickel-plated
EE	Anthracite	KB	Bright Chrome	YD	Satin-finished Nickel-plated
FU	Gunmetal	KC	Matt Chrome	ZA	Zinc alloy
GR	Raw	MA	Brown	ZN	Zinc-plated
HA	Brass-Plated	MB	Light Brown 1	ZQ	Bright Gold
HH	Tropicalized	NN	Metallic Beige	ZY	Titanium
HL	Raw Brass	NO	Beige	ZZ	Clear
IA	Grey	OA	Oak	00	Insignificant finish
IB	Metallic Grey	OZ	Ash		
IF	Middle Grey	PA	Light Ash		
IJ	Light Grey	PZ	Beech		
IL	Grey 20	QA	Maple		



MAORI

MAORI is the new concept in wood shelf supports, to be slotted into the panel by making face borings.

It is ideal for modular cabinets and modular furniture sporting a wide range of thicknesses. In fact MAORI can be used for the shelves minimum 12mm thick. The small side bracket round ledge flushes with the lower side of the shelf making it aesthetically very elegant.

The panel has to be pushed downwards onto the side brackets, which can be screwed into any position required. The side bracket slots into the socket of the shelf supports and a click locks the panel in position.

On the shelves >12mm thick, it is possible to fix the plastic support permanently using a Ø 3 mm screw.







12 mm min.



UNI EN 14749/05




INSTALLATION AND ASSEMBLING




Assembling with alternative fixing options.

Assembling with pre-inserted spreading bush and screw to avoid hole damaging for shelf repositioning.




SPECIAL APPLICATION FOR SIDE PANEL 12 mm THICK:

Through hole fixing with metric sleeve.



OPTIONAL FIXING (12mm thick version excluded):


To achieve much more horizontal connection.







Optional fixing with countersunk head wood screw Ø 3 x 16 mm.


Also suitable for top and bottom panels when a back panel is used.








MAORI  **12 mm**










EP	 = 30.000 pcs.
 11701010IL	





 = Ø 3 mm	
ZA	 = 5000 pcs.
 11702010YA	



DRILL BIT FOR MAORI  **12 mm**




HSS	 = on request
 1175201000	
 1175205000	
	

MAORI  **16 mm**




EP	 = 5000 pcs.
 11701040IL	



= Ø 3, Ø 5 mm

ZA = 5000 pcs.

11704010YA





= Ø 5 mm

= PZ2

ZA ST EP = 2500 pcs.

11704030YA

DRILL BIT FOR MAORI 16 mm




HSS = on request

1175202000


1175206000

MAORI 18 - 19 mm



EP = 20.000 pcs.

11701070IL



= Ø 3, Ø 5 mm




ZA

= 5000 pcs.



11710010YA



= Ø 5 mm



= PZ2



ZA ST EP

= 5000 pcs.



11710030YA

DRILL BIT FOR MAORI **18 - 19 mm**



HSS

= on request





1175203000

R

1175207000

L

MAORI **25 mm**




EP

= 10.000 pcs.




11701100IL



= Ø 3, Ø 5 mm +
 ZA = 2500 pcs.


 11716010YA



= Ø 5 mm +
 = PZ2
 ZA ST EP = 2500 pcs.


 11716030YA

MAORI 29 mm





EP = 10.000 pcs.

 11701100IL





= Ø 3, Ø 5 mm +
 ZA = 5000 pcs.

 11722010YA




11722030YA

DRILL BIT FOR MAORI **25, 29 mm**



HSS





1175204000






1175208000




MAORI FIXING ACCESSORIES



60101390ZN




60101210ZN



= Ø 5 mm

EPn = 5000 pcs.

123	L	L1
20302020AA	9,5	11,5
20302030AA	13	15




= PZ2

= M4

ST = 15.000 pcs.

123

11750010ZN




= Ø 5 mm

= M4

BR = 5000 pcs.

123

20502000HL




= Ø 5 mm

= 12 mm = M4

BR = 5000 pcs.

123

20801000HL



www.italianaferramenta.com